

Π

# TUJL PROFESSIONA DIAGNOSTICS

## FROM A TRULY GLOBAL BRAND CURRENTLY SOLD IN 32 COUNTRIES



## ALL PRODUCTS ARE FROM XTOOL'S PRO RANGE

They are designed for professional workshop use, covering all make's & models with the features needed to service and diagnose today's vehicles

### REGULAR SOFTWARE UPDATES DELIVERED ONLINE

As soon as it's available you'll have it with a simple tap of the 'Update' button!



### Whatever your budget or needs the XTOOL family has something for everyone



and the second sec		State Line of the second state of the second s		
	X-PS70PR0	X-H6EPRO	X-H6PRO	
Model	PS70 PRO	H6E PRO	H6 PRO	
Operating System	Android	Android	Android	
Screen Size	7" Touch Screen	8" Touch Screen	10.1" Touch Screen	
RAM	1 GB	2 GB	4 GB	
Internal Memory	16 GB	32 GB	64 GB	
Bluetooth VCI	$\checkmark$	$\checkmark$		
Wi-Fi	$\sim$	$\checkmark$	$\checkmark$	
Web Browser	$\checkmark$	$\checkmark$		
Ports	Micro USB, VGA	USB 3.0, HDMI (C Type), DC 2.5, VGA	USB 3.0, HDMI (C Type), DC 2.5, VGA	
Camera	NO	8.0 MP with Flashlight	8.0 MP with Flashlight	
Resolution	1024 * 600	1024 * 768	1280 * 800	
<b>Battery Capacity</b>	4,000 mAh	10,000 mAh	13,000 mAh	
Full Vehicle Coverage	$\sim$	$\sim$	$\checkmark$	
Full System Diagnosis	$\checkmark$	$\checkmark$		
Special Functions	$\sim$	$\sim$	A 10	
DOIP Compatible	×	$\checkmark$	• • • • • • • • • • • • • • • • • • •	
Key Programming	X	×	$\checkmark$	
ECU Programming	<b>X</b>	X	<u> </u>	

## Your Diagnos

9

ser	
VCO	< .
SEREN	

Notes:	Function list V10.61			1 Contraction	Adoler Accolut.
Functions marked with # is full z used Functions marked with # is partially wratems and it might supports other Functions left with blank is not sup Series Model Series Part Systems	Souther and the attention of the souther of version. Supported, which issues the functions is verified as non-vehicle models or which models or systems. Read Read Read Clear Live Antanion Physical CLU Troubel Fronds Text			lt's not all about	Castars Development
1 Series E41(52/51758) Body MNS/AB Art 1 Series E81(52/51758) Body AHM Trailer 1 Series E81(52/51758) Body AHM Trailer 1 Series E81(52/51758) Body CAA commission 1 Series E81(52/51758) Body CAA commission	Informal Code         © Code           torn         K	Check you can do the work before you begin with built in application		diagnostics. Manage your emails, organise	CickSupport Settings
	V         V	guide		your calendar and much more!	
1 1 Service E4118/2012/17888 Body C3C-6V C4 1 Service E4118/2012/17888 Body C3C-6V C4 1 Service E4118/2012/1788 Body C4ON C4N C4 1 Service E4118/2012/1788 Body C4N C4N C4N 1 Service E4118/2012/1788 Body C4N C4N C4N 1 Service E4118/2012/1788 Body C4N C4N C4N C4N 1 Service E4118/2012/1788 Body C4N	Instantus         V		6 021		
-m +p					61 4
					(m-7)
		2			
C Nin Services Ameri	ca 🔤 Asia Australia China 🤇		2-117		America E
	BMW FIAT FORD(EU)				
			EIL	Service / Electric Pa	arking
CITROEN	ASTONMARTIN VIAU BENTLEY		FII	Brake	Thrott
7. 7.		The icon driven vehicle	AB	S Bleeding	
		selection makes things quid and easy, but for ultimate		Gearbox ma	atch Immob
Services         Americ           Q         AUTO SCAN	ca Europe Asia Australia China 🤇	speed use the Autoscan VI search and the short cut services menu	N		
Maintenance Brake	Throttle Relearn Window Tyre pressure reset	A.		side 🖈	
			Do	B IN A N	
ABS Bleeding Gearbox match	Immobilization BMS Reset Headlight			12.5	
			ANNE		
	the second second				
< 2 >	Diag. Juest	3		XTODI	
	liagnosis > System Diagnosis > Drive > Digital Engine Electroni Value Unit			XIL	
3 Engine oil temperature	18478.50 degree C				
4 Emissions warning light: Status 5 Emissions warning light: Distance since activation	95 e travelled N/A km				
6 Status, engine warning light	127		Ale A	-	
7 Operating time since engine start	Save to Data Data Create	Choose how you want to v in a list, on a dial for easy i	reading	A State and State	
	- 0 0) <u>1</u> ( 0	across the workshop or by you can see trends over ti			
C Dashboard W	ave structure and structure an		85984.80	ک ایک کو	
54.99 27.50 82.49 0.00 109.99	52.39 0.20 104.99 52.60 157.58	3602.72 1801.36 0.00	21496.20 0.00	ABS/ESP-ABS8.1-ABS8.1 Air bag-SAC GONFLABLE-	
Throttle valve: Target angle[% 99.99	] Intakeair temperature[degree C] -38.25	Operating time since engine start 6549.10	Operating hour counter 78168.00	strument panel-COMBIN	IE
2586.98 1293.49880.46	1405.68 702.8 <u>42108.52</u>		128	-SI Power Steering	
Charging pressure (pressure before	throttle Charging pressure (pressure before throttle valve):	70 Operating mode 38	Idle: Status	Multi function display	
valve)[hPa] 4703.59 ◙ ✿ ⊲	Nominal value[hPa] 695.62 □ O <1> (3) (4□ ⊙	(1/min)	(hPa) ⊲) 32° 4⊒ ⊙		USE Report

offers valid until 31st August 2020 or while stocks last

## stics Journey

-	-				
Calcular Canala	E ♥ 074 222 Cut		2019-12-11 19-09-14.pdf Time: 2019-12-11 19:09-13 Mileage: 128607 KM	Report VIN: WBANX72090C000789 Vehicle name: 5 E60	≣ Q : SN: H6P-001229
Exal El for faglerr () () () () () () () () () ()	Manage Manager	Diagnostic bills can often get expensive for your customer, build yourself a report and give it to your customer to	Diagnosis path:		
Bound Recorder Xitud Diagnosis		show how much work goes in to diagnosing today's vehicles		gine-DME engine electronics ME922	
			Datastream           1         Data status           2         Coolant temperature           3         Ambient temperature	O_A2WT87 [-41.141.1] [-50.1.16.5]	- degC degC
o       a       a       a       a         rope       Asia       Aust         b       a       a       a         b       a       a       a         b       a       a       a         b       a       a       a         b       a       a       a         b       a       a       a         b       a       a       a         c       a       b       b         c       b       a       a         c       a       a       a         c       a       a       a         c       a       a       a         c       a       a       a         a       a       a       a         b       a       a       a         c       a       a       a         c       a       a       a         a       a       a       a         b       a       a       a         b       a       a       a         b       a       a       a         c <th>Headlight</th> <th>Read key codes, prograu disable &amp; identify keys, fi tests, ECU syncing and Works on OE, blank and aftermarket keys with 7 manufacturers covered worldwide.</th> <th>© ♥ ◀ 7 W V27.75 mme, requency more! 7 Progra</th> <th>WW V27.75  WW V27.75  WW V27.75  tic function Read security code m remote ECU Synchronization t key (copy/learn) MQB platform</th> <th></th>	Headlight	Read key codes, prograu disable & identify keys, fi tests, ECU syncing and Works on OE, blank and aftermarket keys with 7 manufacturers covered worldwide.	© ♥ ◀ 7 W V27.75 mme, requency more! 7 Progra	WW V27.75  WW V27.75  WW V27.75  tic function Read security code m remote ECU Synchronization t key (copy/learn) MQB platform	
		Fault codes are only an ind for more detailed information	Wring diagram dicator, tion 1: Check Be MAP sense	IS LEA - MAP and air temperature sensor IS D pie en anno 1 - Caster Poches r signal	
		such as wiring diagrams as procedures you can use you haynesPro license throug in web browser	Performance of the second seco	ir sage standing to 1. to 2 meret (and 1. to 2 meret (and 1. to 2 meret (and 1.) to 2 mer	
Pass   No Fault Pass   No Fault	-		anister solenoid valve control Open	Permanent fault	
Pass   No Fault Fault   4 Pass   No Fault Scanning 11/23 ERASE ©	If you're not sure which system to check for codes, run the Autoscan feature for a report on all available ECUs		< D 0 4 M 4	A m m wi se me	eed more information? press of the agnifying glass icon II perform an internet arch and find you pre information
www.seren	co.co.uk 🔒 (Ö	in	hin ha	ana nananèh	





RENCO



8

serious tools > serious results

Π

offers valid until 31st August 2020 or while stocks last





SERENCO



2Pc Fast Release Locking Plier Set 3Pc Original Locking Plier Set VISE.GRIP VISE·GRIP . Original CURVED JAW 125mm long LONG NOSE 150mm long CURVED JAW 175mm long Fast Release CURVED JAW 250mm long Pro<mark>touch</mark> Staips JRVED JAW 250mm long WAS £50<u>.95</u> WAS £39.95 IRW-10508020 IRW-T77T 44.95 £53.94 Inc. VAT £35.94 Inc. VAT SERENCO 4Pc Original Locking 3Pc Fast Release Locking Plier Set Plier Set **VISE**·GRIP VISE·GRIP Original Fast Release 250mm CURVED Protouch Staips NCLUDES 225mm 125mm Curved Jaw with Wire Cutter | 175mm Straight Jaw | LONG NOSE 150mm Long Nose | 250mm Curved Jaw 175mm STRAIGHT JAW Supplied in carry pouch WAS £64.95 WAS £62.95 IRW-T71 IRW-T76KBT 54.95 249.95 £65.94 Inc. VAT £59.94 Inc. VAT **Mechanics Vices** Record SMOOTH, RELIABLE ACTION HARDENED STEEL JAWS Close grained grey iron body and sliding jaw - cast then machined on For long life all friction surfaces SAFETY STOP Prevents the slide being separated from the body USED STEEL IRW-1ZR

IRW-6

Will bend before the

vice is overstressed

IRW-6

No. 6: 6" | 150mm

£359.95

£349.95

£419.94

Size

Was Price

Tool Times Price

Inc. VAT

No. 1: 3" | 75mm

£98.95

£59.95

£71.94





offers valid until 31st August 2020 or while stocks last





Contains a wide range of connection leads for quick & easy diagnosis of faults on most sensors, valves, solenoids, actuators, injectors, starter circuit, ignition coils and more on Asian & European cars, trucks, agricultural vehicles, boats and motorcycles. Comes with a guide for adaptor lead sizes to use with different car makes. Differs from other kits in that it includes 'Y-style' leads for quick connection to meters or scopes, avoiding using time consuming straight through leads to make up test leads.

#### INCLUDES

Acicular probe (black) | Piercing probe | Enhanced variable resistor with dial indicator | Airbag/SRS simulator | Stackable banana cable (2 of each; red & black) | Banana cable (1 of each; red & black) | Crocodile clip (1 of each; red & black) | Banana adaptor (1 of each; female to male & male to male)

#### WAS£179.95

OWERPROBE

S£174.95

164.95



HU-PPESTLK £203.94 Inc. VAT

Break Out Box

The CAN-Bus circuit tester is suitable for 12 & 24V systems. Once plugged into the car's DLC OBD port it will start to check the pins for any voltage present. If voltage is present the respective LEDs will illuminate.

FUSES SINGLE ANDEDLY

- Test the vehicle's link connector (OBD port) for any abnormality such as shorting and reverse polarity at the pins before the diagnostic tool (scanner) is connected to the DLC.
- Live display of communicating signals if present, (e.g. communication protocol signals, manufacturer's assigned pins), for quick identification of faults.
- Provides quick access to all 16 pin connections during vehicle repair and diagnosis.
- Monitor the input voltage during chip programming with low voltage alarm.
- Test individual pin voltage presence.

\*Additional tools & accessories pictured are for illustration purposes only & are NOT included

#### INCLUDES FUSE TESTER

HU-PPECB £197.94 Inc. VAT






offers valid until 31st August 2020 or while stocks last

SERENCO



www.serenco.co.uk 🗗 (O) in



£259.95

£311.94

£234.95

£281.94

Tool Times Price

Inc. VAT

£209.95

£251.94

£219.95

£263.94



## AIP-CON Service in A cani

### ON AVERAGE, A CAR'S AIR CONDITIONING SYSTEM WILL LOSE 10% REFRIGERANT A YEAR.

This means the system will be less efficient and the inside of your car will become warmer and unpleasant to drive.

Regularly maintaining your car's air conditioning system with the easy to use STP<sup>®</sup> product range, will not only ensure maximum cooling but will also help to improve your vehicle's fuel efficiency allowing for a more comfortable drive all year round.







Pictures are for illustration only, omissions and errors are excluded. Offers valid until 31st August 2020 or while stocks last. All prices shown exclude VAT and are correct at time of going to press, prices shown inclusive of VAT are at the current VAT rate of 20%. Serenco (UK) Ltd reserve the right to change prices without prior notice. © 2020 Serenco (UK) Ltd UK-FLYERJUL20. Serenco (UK) Ltd, Units 3-5, Wellingborough Road, Sywell, Northamptonshire, NN6 OBN

SERENCO

serious tools > serious results

#### **AUTHORISED DEALER**